

Dixon® Type DA 45° Elbows
adapter x coupler

Feature:

- Buna-N gasket standard, other gaskets available on pages 167 - 170

Size	356T6 Aluminum Part #	316 Stainless Steel Part #	Unplated Malleable Iron Part #
2"	200DA-45AL ¹	200DA-45SS ¹	---
3"	300DA-45AL	300DA-45SS ¹	---
4"	400DA-45AL	400DA-45SS ¹	400DA-45MI
6"	600DA-45AL	---	---



Cam & Groove

¹ part is produced as a welded fabrication

Dixon® Type DD 45° Elbows
coupler x coupler

Feature:

- Buna-N gasket standard, other gaskets available on pages 167 - 170

Size	356T6 Aluminum Part #	316 Stainless Steel Part #
2"	200DD-45AL ¹	---
3"	300DD-45AL ¹	300DD-45SS ¹
4"	400DD-45AL	---
6"	600DD-45AL ¹	---



¹ part is produced as a welded fabrication

Dixon® Type DA 90° Elbows
adapter x coupler

Feature:

- Buna-N gasket standard, other gaskets available on pages 167 - 170

Size	356T6 Aluminum Part #	316 Stainless Steel Part #
1"	---	100DA-90SS ¹
1½"	150DA-90AL ¹	150DA-90SS ¹
2"	200DA-90AL	200DA-90SS
3"	300DA-90AL	300DA-90SS
4"	400DA-90AL	400DA-90SS
5"	500DA-90AL ¹	---
6"	600DA-90AL	RDA90600EZ ^{1,2}



¹ part is produced as a welded fabrication

² EZ Boss-Lock™ design (not pictured)

Dixon® Type DD 90° Elbows
coupler x coupler

Feature:

- Buna-N gasket standard, other gaskets available on pages 167 - 170

Size	356T6 Aluminum Part #	316 Stainless Steel Part #
2"	200DD-90AL	---
3"	300DD-90AL ¹	300DD-90SS ¹
4"	400DD-90AL	---
6"	600DD-90AL	---



¹ part is produced as a welded fabrication

Type A 90° Adapters Elbows
adapter x female NPT

Feature:

- pressure rating is based on the seal of the mating part, see ratings on page 124

Size	356T6 Aluminum Part #	316 Stainless Steel Part #
1½"	150A-90AL	---
2"	200A-90AL	200A-90SS ¹
3"	300A-90AL	300A-90SS
4"	400A-90AL	---



¹ part is produced as a welded fabrication

Type B 90° Dixon® Elbows coupler x male NPT

Cam & Groove

**Feature:**

- Buna-N gasket standard, other gaskets available on pages 167 - 170

Size	356T6 Aluminum Part #	316 Stainless Steel Part #
1½"	150B-90AL	---
2"	200B-90AL	200B-90SS ¹
3"	---	300B-90SS ¹

¹ Parts are produced as a welded fabrication.

Type C 90° Dixon® Elbows coupler x hose shank

**Feature:**

- Buna-N gasket standard, other gaskets available on pages 167 - 170

Size	356T6 Aluminum Part #	Brass Part #	316 Stainless Steel Part #
1¼"	---	125C-90BR	---
1½"	150C-90AL	---	150C-90SS
2"	200C-90AL	200C-90BR	200C-90SS
3"	300C-90AL	---	300C-90SS
4"	400C-90AL	---	400C-90SS ¹
6"	600C-90AL	---	---

¹ part is produced as a welded fabrication

Type D 90° Dixon® Elbows coupler x female NPT



EZ Boss-Lock™ design

Feature:

- Buna-N gasket standard, other gaskets available on pages 167 - 170

Size	356T6 Aluminum Part #	Brass Part #	316 Stainless Steel Part #
1"	---	---	100D-90SS
1¼"	---	125D-90BR	---
1½"	150D-90AL	150D-90BR	---
2"	200D-90AL	200D-90BR	200D-90SS
3"	300D-90AL	---	300D-90SS
4"	400D-90AL	---	400D-90SS ¹
4"	AD90400EZ ²	---	---
6"	600D-90AL	---	---

¹ part is produced as a welded fabrication

² EZ Boss-Lock™ design

Type E 90° Elbows
adapter x hose shank

Feature:

- pressure rating is based on the seal of the mating part, see ratings on page 124

Size	356T6 Aluminum Part #	316 Stainless Steel Part #
2"	---	200E-90SS ¹
3"	300E-90AL	300E-90SS
4"	400E-90AL	400E-90SS ¹

¹ parts are produced as a welded fabrication



Cam & Groove

Type F 90° Elbows
adapter x male NPT

Feature:

- pressure rating is based on the seal of the mating part, see ratings on page 124

Size	356T6 Aluminum Part #	316 Stainless Steel Part #
1½"	150F-90AL	---
2"	200F90AL	200F-90SS ¹
3"	---	300F-90SS ¹

¹ parts are produced as a welded fabrication

